

The background of the image features a series of concentric, wavy lines in a light blue color, creating a sense of depth and movement. The lines are more densely packed on the right side and become more sparse towards the left. The overall color palette is a range of blues, from a deep navy blue to a lighter, vibrant cyan.


**SOLUM**

JOIN OUR JOURNEY WITH SOLUM

# TABLE OF CONTENT

- 01** ABOUT SOLUM
- 02** ESL INTRODUCTION
- 03** ESL PRODUCT LINE-UP
- 04** ESL SOLUTION (SMART STORE OPERATION)
- 05** ESL SOLUTION (SMART SHOPPING EXPERIENCE)
- 06** ASSET MANAGEMENT SOLUTION
- 07** SOLUM ROADMAP

# I . ABOUT SOLUM



# GLOBAL NO.1 SOLUTION PROVIDER

SOLUM has its own infrastructure for hardware & software development and design, manufacturing, quality control  
Also, global marketing team delivers the best quality and integrated solution

Strategic partner

Specialist

Efficient organizational  
capabilities

Unique technology

Market innovator



## LEAP FROG

1973

- TV Tuner  
SET – Top Box

1996

- General Adapter
- Mobile Charger
- TV SMPS

2012

- Power + Driver  
for LED TV
- 1<sup>st</sup> graphic ESL

2014

- 3 Color  
Graphic ESL

## GROWING SEASON

2015

- Spin-Off  
from SAMSUNG

2017

- LoRa Module GPS  
Tracker Item Label
- Bluetooth Item Finder  
Stripe Display

2019

- 3 Port Charger
- Air Quality Checker
- WBG Power Supply  
MS No.1 in North America  
in ESL
- Newton Launching

2021

- Public Offering in Korea  
KOSPI

2022

- Motion & Air condition  
detector
- Healthcare Item  
Digital Signage
- True Wireless Stereo  
(Bio TWS)

## SOLUM DETAILS

Specialized in wireless communication technology business with 50 year-experience

ESTABLISHMENT 2015.07.02 / 2021.02.02 (flotation)

MAIN BUSINESS Electronic manufacturing

WEB [www.SOLUM-group.com](http://www.SOLUM-group.com)

# Rapid Growth and Global Deployment

SOLUM started supplying ESL to Global Top retailers such as LOWE’S, MACY’S, LOBLAW, ShopRite, ROGERS, ALTICE, IKEA, LIDL, REWE, and METRO. Over the past 12 years, we have grown at a rapid pace and have now installed over 150 million ESL throughout 45 countries, totaling 50,000+ stores worldwide.

We have gained a reputation as one of the best ESL vendors in all markets (grocery, department stores, electronics, factory, warehouse & apparel stores) with our server and management software solutions, diverse and differentiated product lineup, and prompt and active customer service

300million

Target ESLs shipped by 2023

150+

MILLION TAGS

45+

COUNTRIES

50K+

STORES




04 SOLUM Production Sites

06 Sales Offices

60% R&D Specialists

611 Global patents



- SOLUM has very strong business portfolio, mobile charger, television module business, power module, IoT device and Electronic Shelf Label
- SOLUM has the global leading customers such as Samsung, Sony and Intel in modular business and REWE, Metro, Loblaw, Lowe's, Macy's and Alibaba in ESL business.
- The financial stability enables SOLUM to invest a huge amount of money on R&D every year which makes us to be the innovation leader in ESL market



Electronic Shelf Label



IoT



Mobile Charger




Power Module



Healthcare

	2016	2017	2018	2019	2020	2021	2023			
IoT		 KEYCO Mini & Card	 KEYCO GPS Tracker	 KEYCO Air	 SKT Smart Jikimi	 Industrial GPS Tracker	 Roommate	 Trace Tag	 SOLUM GPS Tracker	 Slim Smart Tag
Power & MD			 KEYCO Adapter			 Jelly Wireless Charger	 Smart Warmer Cup Gen.2	 SAR Adapter Line-up	 Foldable Charger	 Duo Wireless charger
			 KEYCO 3in1 Multi Adapter			 Smart Warmer Cup Gen.1		 Power Bank With Wireless Charger		
Health care							 Healthcare Smart Ring	 Healthcare MINDY Band	 Bio TWS	
ESL	 M2 Character Snap-on	 Security Tag 3in1	 2.6inch Security Tag	 M3 Newton	 ESL Beeper	 Newton USB Gateway	 Lidl Tag 5.85 / 9.7 / 12.2 inch	 Newton Core	 Newton S	 Newton Eye
	 M2 Snap-on	 Blinking Tag 2.9 / 4.2			 IKEA NFC Label	 Newton X 1 inch	 Newton X Peg Hook	 Newton Dual Screen	 Newton Solar	 Newton Link
		 13.3inch HomeDepot			 Newton Lite	 4.3inch LED Picking Label	 Newton X 2.2inch Fashion Tag			
		 Smart ESL Tag Macy's			 Circle type ESL For Macy's					

## II . ESL PRODUCT INTRODUCTION





## ABOUT ESL

### PAPER LABEL



#### Inconvenience of removal and changing the stickers when need to update information

- Removal of stickers (environmental issues)
- Inconvenience of paper price tag removal and replacement when updating > work loss
- Reducing work efficiency when loss the work instructions

### ESL LABEL



#### SMART LABEL

#### 2.9" electronic shelf label product

- Real-time process check function
- Real-time stock check
- Available for up to 10 years (E-paper solution)

## ABOUT NEWTON

# Newton


New definition, unlimited possibilities.



Please refer to the YouTube link for the full scale of Newton Introduction Video  
<https://youtu.be/EGkapvamwVo>



ESL | PERFORMANCE



ITEMS	PREVIOUS GENERATION	NEWTON
1 Tag Assignment	~12 sec.	~5 sec.
LED Blinking Response	~12 sec.	~5 sec.

BENEFITS OF NEWTON’S REAL-TIME SPEED

- Faster installation and easier deployment
- Less risk for updates during store hours
- Shorter delta duration between ESL and POS
- Faster LED response for efficient Pick-by-Light application



## ESL I RESOLUTION PERFORMANCE


Industry leading display resolution with up to **30%** increased resolution for more crisp and sharper image



H Company 2.9"

**112 dpi**

(296\*128)



Newton 2.9"

**144 dpi**

(384\*168)

**Newton**

1.6": **188 dpi** (vs 140 dpi)  
2.2": **156 dpi** (vs 111 dpi)  
2.6": **152 dpi**  
2.9": **144 dpi** (vs 112 dpi)

**Newton Lite**


1.6": **188 dpi** (vs 140 dpi)  
2.2": **130 dpi** (vs 111 dpi)  
2.6": **152 dpi**  
2.9": **144 dpi** (vs 112 dpi)

\* Increased resolution is for the listed smaller size tags only, and is not for all tag sizes

## ESL | 7 PAGES DETAILS



- Up to 7 pages of storage
- Each page can have different layouts: additional product information, special promotions, inventory information, etc.
- Page flip via Newton Remote, PDA App, built-in buttons, or the server
- Page flipping can also be scheduled in advance through the server to prepare for flash sales or updates



Product Details and Reviews



Allergen Information



Out of Stock Notification



ESL | HYPER DURABILITY

## LONG-LASTING CLEAR E-PAPER DISPLAY

Complete Sealing effect for anti-dry & anti-moisture  
Complete Sealing effect for anti-color fading

COMPETITOR



NEWTON



NEWTON | LINE-UP



reddot award 2020  
winner



10

Up to 10 years battery life

Superior energy efficiency  
for longest battery life in the market

10x

x10 faster update speed


Average 5 seconds update speed



Multi-Function

- Button
- LBS

### III. ESL PRODUCT LINE-UP



NEWTON | BWR



Newton 1.6"



Newton 2.6"



Newton 2.2"



Newton 2.9"



Newton 2.7"



Newton 4.3"



Newton 4.2"




Newton 3.52"



Newton 7.5"



Newton 6.0"



Newton 11.6"

NEWTON | BWRY



Newton 1.6"



Newton 2.4"



Newton 2.9"



Newton 4.4"



Newton 6.0"



Newton 8.2"

NEWTON I SNAP ON COVER



3.52"

**NEWTON I SNAP ON COVER 3.52"**




## NEWTON I PROTECTION COVER 2.9"




2.9"


NEWTON S I 4COLOR SLIM BEZEL 1.6”~12.2”




## NEWTON I 5/6/7 COLOR



8.2" 5 COLOR (B/W/R/Y/Orange)



8.2" 6 COLOR (B/W/R/Y/G/Blue)



6" 7 COLOR (B/W/R/Y/O/G/B)

\* Operating temperature is limited in 15°C ~ 30°C

## NEWTON X | 1", 1.3", 2.2"




Experience a more seamless itemized product labeling with Newton X  
This latest innovation from SOLUM puts Newton's unparalleled power and speed in  
an extremely lightweight and compact package.  
“Truly the world’s smallest ESL”

## NEWTON DUAL SCREEN | BWRY 8.2", BWR 11.6"



BWRY 8.2"



BWR 11.6"



## NEWTON DUAL SCREEN I APPLICATION 8.2", 11.6"





## NEWTON DUAL SCREEN I APPLICATION 11.6"





NEWTON CORE | BWR

FRESH FOR EVERYONE

Fruit Salad

3<sup>99</sup>

2.7"

FRESH FOR EVERYONE

Greek Salad

6<sup>99</sup>

3.52"

LOW PRICE

1.69

SAVE!

2.2"

LOW PRICE


2.99

BUY 5, SAVE \$5 SAVE!

2.6"

FREE TRIAL

TRY FREE FOR 30 DAYS!



4.2"

Almond Milk

500g

5<sup>99</sup>

SAVE 1 EACH

4.3"

Fruit Cheesecake

1.19

1.6"

SALE PRICE

1.99

32.6 PER OUNCE With Card 03/15/22

2.9"

Bwash Passionate Spell

06 / 02 / 15

400ml


4<sup>50</sup>

5.85"

SAVE \$1 EACH


FRESH for Milk Drinkers

FOR MILK DRINKERS




7.5"

FRESH FOR MILK DRINKERS



FRESH FOR PASGHELLI LOVERS




9.7"

BEST!

WEEKLY DIGITAL DEALS

Use each coupon 1time in one transaction




11.6"

FREE FOR 30 DAYS

Try Membership

SAVE \$1 EACH




12.2"

© 2023 SOLUM PROPRIETARY AND CONFIDENTIAL

SOLUM  
Solution provider.

NEWTON CORE | BWRY



## NEWTON CORE I APPLICATION 2.2”





NEWTON CORE I APPLICATION 2.9”





NEWTON CORE I APPLICATION 5.85”





## NEWTON CORE I APPLICATION 9.7"



## NEWTON SOLAR BATTERY-LESS | 2.9", 4.2"

\*concept scene




2.9"



4.2"

NEWTON GATEWAY I SPECIFICATION




Newton Gateway digital numbering system gives it a modern and digitized look But more importantly, this makes it easier for managers to identify the Gateway’s ID for internal device management purposes

Another improvement with Newton Gateway is that it has a tag and load-balancing system which means that the number of connected labels will always be evenly distributed

DIMENSION	9.56 × 9.56 × 1.79 inch
CPU	Quad Cortex-A53
FLASH MEMORY	4GB
RAM	2GB
RF INTERFACE	2.4 GHz SOLUM Proprietary
INTERFACE	Ethernet(10/100/1000 Mbps)
POWER CONSUMPTION	PoE (Power over Ethernet IEEE802.3af) / AUX DC Input (5-12V, 10W)
CAPACITY (2.9" BWR)	50,000 Labels
COVERAGE (INDOOR IN RADIUS)	UP to 30m
TRANSMIT FREQUENCY	2401MHz - 2480MHz
RECEIVE FREQUENCY	2401MHz - 2480MHz
ANTENNA TYPE	External Antenna
ANTENNA GAIN	External 3.5dBi
CHANNELS	80CH
OPERATING TEMPERATURE	0°C to +40°C
WEIGHT	650 g / 23 oz
ENCLOSURES	Plastic (ABS)

NEWTON USB GATEWAY I SPECIFICATION



The USB Gateway is a stand-alone system  
However, it can also be an extension to the Newton Gateway  
It can offer additional capacity, memory, range, among others, without the added infrastructure

With Newton’s Gateways, you can achieve a more seamless and automated data exchange between your electronic shelf labels and your command system

DIMENSION	7.79 × 0.53 × 1.18 inch
CPU	Quad Cortex-A53
FLASH MEMORY	4GB
RAM	2GB
RF INTERFACE	2.4 GHz SOLUM Proprietary
INTERFACE	USB 2.0
POWER CONSUMPTION	2.5W
CAPACITY (2.9" BWR)	50,000 Labels
COVERAGE (INDOOR IN RADIUS)	UP to 25m
TRANSMIT FREQUENCY	2401MHz - 2480MHz
RECEIVE FREQUENCY	2401MHz - 2480MHz
ANTENNA TYPE	Antenna (external type) 2EA / Antenna(internal type) 1EA
ANTENNA GAIN	External : 3.2dBi / Internal : 2dBi
CHANNELS	80CH
OPERATING TEMPERATURE	0°C to +40°C
WEIGHT	50 g / 1.75 oz
ENCLOSURES	Plastic (ABS), Aluminum



## AP &amp; GW INTEGRATED SOLUTION GLOBAL AP COMPANY PARTNERSHIP



aruba

**SOLUM**  
Solution provider.

Software Management

Partnership

Infrastructure Management

**Server**

Interface with Customer Legacy Server (Customized)

Procedure Module  
Tuning Performance**WiFi AP + Newton GW**

TAG ASSIGN | SIGNAL | TAG UPDATE | TAG STATUS CHECK


Huawei AP  
+ Built in IoT CardAruba AP  
+ Newton USB GWCISCO AP  
+ Newton USB GW**ESL Labels****Energy Saving · Massive Network Capability · Easily Applicable Data · Infrastructure Cost Down**

# Aims SaaS

Advanced Information Management System













## HOW DOES AIMS SAAS WORK?

SOLUM AIMS SaaS can be integrated with any kind of client ERP platform (public cloud, private cloud/data center or a store server)

Aims SaaS is not requiring a particular infrastructure for Cloud communication and just simply operated with a standard SOLUM Newton Gateway HTTPS and MQTT

“HTTPS” and “MQTT over Web Sockets” using security tokens known as Shared Access Signature (SAS) tokens over TLS/SSL are used between AIMS SaaS and SOLUM Newton Gateway

COSTCHART I ON – PREMISVSAIMSSAAS

	<b>Server operating and maintenance</b>	\$
	<b>Operational up-front costs</b> (In-store set-up, BO file transfer, VPN, etc.)	\$
	<b>Software maintenance</b> (OS/DB upgrades, back-up and recovery system, etc.)	\$\$
	<b>Aims License</b>	\$\$\$
	<b>Hardware server investment</b> (Lifetime 5 years)	\$\$\$\$
	<b>ESL IT resources</b> (software installation, system monitoring, store registration, gateway registration, etc.)	\$\$\$\$\$



COSTCHART (ON-PREMISVSAIMSSAAS)

With Aims SaaS, the cost of software can be spread over time and, as it is hosted in the cloud, the upfront implementation costs (e.g. CAPEX) are significantly lower than with more traditional methods. On-premise software and SaaS can have significantly different long-term costs. By examining how these costs are determined, you can identify major savings



AIMS SAAS I SERVICE

SERVICE	ON-PREMISE SERVER	AIMS SAAS SERVER
Server Hosting (Scaling, Monitoring, and Maintenance)	Client	SOLUM
Software Installation	Client	Not Required
Server Hardware Cost	Client	Not Required
Server Hardware Maintenance	Client	Not Required
Data Security and Backup	Client	SOLUM
ESL System Management and Monitoring <ul style="list-style-type: none"><li>- Software installation and upgrades</li><li>- Store registration and deletion</li><li>- Gateway registration, deletion, configuration&amp;upgrades</li><li>- Status monitoring of Software, Gateway and Labels</li></ul>	Client	SOLUM or Client
Hotline service availability (Level 1 support - store-based operation support)	Not Available	Available
Server Level 2 & 3 Support (Support for IT Department)	SOLUM	SOLUM
Service Level : Resolution Time	Resolution is only available after DB access permission is given to SOLUM	Resolution can be done right after a failure report is given to SOLUM

## AIMS SAAS I SERVICE

SOLUM invests significantly in security, backups, and maintenance, ensuring that all business data is secured 24/7 from potential threats and attacks



### IDENTITY MANAGEMENT

Authenticated and allowed access based on Microsoft Azure Active Directory Seamless and Secure access to the data to deliver effortless experience



### API AUTHENTICATION AND AUTHORIZATION

Different permission levels can be provided for different users  
Continuously authenticate API calls registered users track users' requests - to block or throttle any request base on levels



### APPLICATION DELIVERY CONTROL

Secure Sockets Layer termination End-to-end SSL/TLS encryption protocols WAF\_v2 (by Azure) - Centralized protection



### PRIVACY

All information stored on Azure storage and Azure SQL Database  
Both encrypt data at rest by default using Azure Disk Encryption



### LOGGING AND AUDITING

All logging data is stored on the internal location  
Retention period is configurable to ensure compliance with data protection laws



### BACK UP RECOVERY

Postgres SQL and MongoDB Atlas backup with recovery point objective of 6 hours

## SECURITY CERTIFICATIONS

The security and privacy of your data in our cloud-based technology is an absolute priority for us  
SOLUM guarantees you excellent service, unconditional security for your data and outstanding quality  
of our systems as proven by renowned test procedures and certificates



### CSA-STAR

Aims SaaS is CSA-STAR certified



### ISO9001

Our SOLUM Headquarters in Korea is ISO9001 certified



### ISO27001

SOLUM fulfills the ISO 27001 certification of information security controls for any kind of digital information



### ISO27017

SOLUM fulfills the ISO 27017 certification of information security controls based on ISO/IEC 27002 for cloud services




### GDPR

The GDPR (General Data Protection Regulation) was developed to strengthen and standardize data protection for individuals in the EU  
SOLUM is 100% DSGVO-compliant and treats all your data securely and confidentially

AIMS SAAS | DISASTER RECOVERY

Disaster recovery strategies available to you within Aims SaaS can be broadly categorized into four approaches, ranging from the low cost and low complexity of making backups to more complex strategies using multiple active Regions

For a disaster event based on disruption or loss of one physical data center for a well-architected, highly available workload, you may only require a backup and restore approach to disaster recovery. If your definition of a disaster goes beyond the disruption or loss of a physical data center to that of a region or if you are subject to regulatory requirements that require it, then you should consider pilot light, warm standby, or multi-site active/active






AIMS SAAS SPECIFICATION

ITEMS	AIMS SAAS
Scalability	Automatic scalability
Capacity	Unlimited and flexible
SLA 24/7	Included
Performance (image generation)	1 million within 5 minutes
Multi-tenant (economies of scale)	Yes
Single Sign-On	Yes
Data Lake	EFK( Elasticsearch, FluentDand Kibana)
Cloud Service Provider	Azure
Security & Backup	Yes
Uptime	99.95%
Recovery Time	2 hours
Certification	ISO9001(HQ), ISO27001, ISO27017, GDPR, CSA-STAR

## IV. SMART STORE ORIENTATION



## SOLUM CAMERA SOLUTION


### AS-IS : TRADITIONAL WAY IN STORES



Hard to respond to planogram issue in real-time  
(product misplacement, out of stock)

> Inefficiency of store management


### TO-BE : BENEFITS WITH NEWTON TRAM



Push the alert to the staff from the dashboard,  
possible to response to planogram issue

> Increase work efficiency

MISPLACED SOLUTION



1. DETECTING MISPLACED

In case of product misplaced by shoppers, Newton camera can capture the scene

2. SOLUM NEWTON DASHBOARD


The captured scene was sent to the dashboard right away and analyzed which products with misplaced issues were based on the planogram

3. ALERT MESSAGE TO STAFF

Push the alert to staff to notify the current issue to solve the misplaced issue




## OUT-OF-STOCK SOLUTION




### 1. OUT OF STOCK

In case of out of stock, Newton TRAM can capture the scene



### 2. SOLUM NEWTON TRAM DASHBOARD

The captured scene sent to the Dashboard right away and analyzed which products with low stock or out of stock



### 3. ALERT MESSAGE TO STAFF

- 1) Stock replenishment by staff
- 2) Smart ordering : In case there is no available stock in the store, staff requests for the delivery order to warehouse

KPI MANAGEMENT

SOLUM

Management

staff

Community

Report

Setting

Dashboard

POG

OOS

13

Misplaced

3

Report / monthly

Report / weekly

Section

Camera solution

Mapping error

2

Detecting error

0

Camera solution

Section	Error	Result	Time
A	OOS	Completed	Error : 2022-08-18, 13:23:33 Completed : 2022-08-18, 13:35:58
B	MP	On going	Error : 2022-08-18, 13:23:33 Completed : 2022-08-18, 13:35:58
C	Error	Completed	Error : 2022-08-18, 13:23:33 Completed : 2022-08-18, 13:35:58


18

USER1

Mapping

ROG creation

NEWTON EYE CAMERA I FIX VIEW




NEWTON EYE CAMERA I ACC VIEW

\* Design to be changed



Tilting





NEWTON EYE CAMERA I SPEC.



MODEL	TBD
FLASH MEMORY	(External) 128Mbit
RAM / ROM	512KB / 768kB
Wireless communications	IEEE 802.11 a/b/g/n compatible + 2.4 GHz SOLUM Proprietary Protocol on BLE
CHANNELS	BLE(Unlicensed) : 80CH WiFi: 14CH + 24CH
TRANSMIT FREQUENCY	2.4/5 GHz
RECEIVE FREQUENCY	2.4/5 GHz
ANTENNA TYPE	FF 5M Pixel(2592*1944) resolution for JPEG encoding
ANTENNA GAIN	Max 80°
RESOLUTION	Min 80cm
ANGLE OF VIEW	1.5M ~ 3M
FOCAL LENGTH	2.5M / 1.87M (W / H)
NFC	NFC Forum Type3 for assign
DIMENSION	113.8mm * 37.0mm * 24.4mm
POWER SOURCE	AA Battery 4EA
COVERAGE (INDOOR IN RADIUS)	UP to 25m
INTERFACE	USB type C
OPERATING TEMPERATURE	0°C to +40°C
WEIGHT	147.7g
ENCLOSURES	Plastic (PC)
ETC	Built-in face masking with AI engine

※ This specification May varies depending on the installation environment and user scenario.

## NEWTON CAMERA I LBS SOLUTION (1/2)


### AS-IS : TRADITIONAL WAY IN STORES



### DIFFICULTY OF RESPONSE IN REAL-TIME

When customers and staff face with planogram issues, it is difficult to solve them right away  
Because customers need to find staff first and then staff can help them out to meet their needs  
After all, it takes time to take action for it

### TO-BE : BENEFITS WITH NEWTON EYE



### HELPERS FOR BOTH CUSTOMERS AND STAFF


In case of planogram issues such as out of stock and misplacement product, both customers and find the product on their mobile device (which shows where it is located on) thanks to the tag assigned to the product. Therefore, customers don't need to ask the assistance and staff can replenish products, and replace items to the right place

## NEWTON CAMERA I LBS SOLUTION (2/2)



### TAKE TIME TO SOLVE PLANOGRAM ISSUES


Even though staff checks planogram regularly, it is difficult to solve the planogram issues right away because they don't know what/where the product is located on



### TAKE PROMPT ACTION


Newton eye can capture the products assigned to each tag so in case of out of stock, and misplaced products, staff can know where the issues come out. Accordingly, they replenish items and replace products to the right place

## AUTO-ASSIGN I REAL-O-GRAM SOLUTION (1/2)



01

Auto-assign solution will help to automatically update ESL pricing information from that of real product based on POG



02

There is a camera under the promotion board, and large ESL on the other side displays ID pattern to help identify which ESL should be connected to the product




AUTO-ASSIGN I REAL-O-GRAM SOLUTION (2/2)



03

After identifying, ESL will update price information by that of each promotion product




04


We expect this solution will help to increase work efficiency in each store

## POWERED-RAIL

\*concept scene




ROBOT SOLUTION I SCANNER BOT






ROBOT SOLUTION I SCANNER BOT



1. TAKE PICTURES OF SHELVES

The robot regularly take pictures of every shelves to check the status of it



2. ANALYSIS AND CLASSIFIE ISSUES


The pictures goes to system and analysis and classified the issue of Shelves (OUT OF STOCK, LOW STOCK&MISPLACED)



3. ALERT MESSAGE TO STAFF

Push the alert to staff to notify the current issue in order to solve issue


PICK BY LIGHT WITH 7 COLOR LED BLINKING



## PICK BY LIGHT WITH 7 COLOR LED BLINKING



## AIMS LINK SOLUTION



Aims Link can change the product price in real-time without installing other infrastructure in the store and can be used intuitively without special employee training




Demo video (Newton link) : [Newton link video](#)


**Aims link pairing**



AIMS LINK SOLUTION I INITIAL REGISTRATION




[Demo video \(Pairing\)](#)




01

Press the button on the label on the home page



02


Select template and edit the contents




03

It is displayed on the label

## AIMS LINK SOLUTION | INITIAL REGISTRATION ON THE LIST



[Demo video \(Pairing on the list\)](#)




01

Press the button on the label on the label list page


02

The empty label is registered on The list

## AIMS LINK SOLUTION | INITIAL REGISTRATION ON THE LIST




[Demo video \(Editing\)](#)



01


Press the button on the label on the home page




02

Edit the contents and it is Displayed on the label

## AIMS LINK SOLUTION | INITIAL REGISTRATION ON THE LIST



[Demo video \(Multi labels editing\)](#)




01

Press the button on the label on the home page




02

Choose the labels you want to edit



03

Select the template




04


Edit the contents and it is Displayed on the label



## AIMS LINK SOLUTION | INITIAL REGISTRATION ON THE LIST



[Demo video \(Label list editing\)](#)



01

Edit the content on the app

02

Press the button on the saved label that you want to update


03

It is displayed on the label

V . SMART SHOPPING EXPERIENCE




## ESL+SHOPPING ASSISTANT I VOICE FINDING




### 1. EASY TO FIND WITH VOICE FINDING

Tell the robot what you want to find with your voice, the robot will Show you what you looking for



### 2-1. GUIDE LOCATION & SHOW ADS.


The robot guides the shopper to the location of a product while showing advertisements of related products on the way, It can generate advertising revenue and induce additional purchases




### 2-2. SHOPPER CAN SHOP IN ONLINE

You can see the detail of the product that you are looking for. If there is no stock, then you can easily purchase what you want from the display


## ESL+SHOPPING ASSISTANT I STAFF CALL

**1. EASY TO FIND WITH VOICE FINDING**

Tell the robot what you want to find with your voice, the robot will Show you what you looking for

**2-1. GUIDE LOCATION & SHOW ADS.**

The robot guides the shopper to the location of a product while showing advertisements of related products on the way, It can generate advertising revenue and induce additional purchases

**2-2. SHOPPER CAN SHOP IN ONLINE**

You can see the detail of the product that you are looking for. If there is no stock, then you can easily purchase what you want from the display



## ESL+SHOPPING ASSISTANT I VOICE & VIDEO SOLUTION VIDEO




[Demo video \(Voice call video\)](#)

## ESL+ROBOT SOLUTION VIDEO


The image shows a large, dark blue rectangular area that serves as a video player. In the center of this area, the word "SOLUM" is written in a bold, white, sans-serif font. The letters are evenly spaced and centered both horizontally and vertically within the blue rectangle.

[Demo video \(Robot solution video\)](#)

ESL+SHOPPING ASSISTANT I NEWTON PLAY




1. THE VIDEO PLAYS WHEN PRESS THE BUTTON



2-1. GENERATING ADVERTISING REVENUE


Shoppers can see the advertisement of the product



2-2. ENCOURAGING ADDITIONAL PURCHASES

Shoppers can see the detail of the product & purchase it with their smartphone at once

NEWTON PLAY SOLUTION







## NEWTON PLAY SOLUTION VIDEO




[Demo video \(Newton play video\)](#)


PRODUCT FINDING BY NEWTON TOUCH



1. Selected item section



2. Selected specific item



3. Check its location and details

The ESL of the product in the same category is blinking, so shoppers can easily find what they want when shopper select the category of products that they want to find in Newton Touch

IN DOOR MAP SERVICE IN AIMS SAAS I MAP GENERATION

1. FILE UPLOAD AS A REFERENCE

2. ADD COMPONENT

3. MAPPING SHELVES

4. CREATE ZONE

5. ADDITIONAL OPTION

Picking Navigator Create


Set Shelf Properties

Rights Management

## IN DOOR MAP SERVICE IN AIMS SAAS | STOCKING SYSTEM




## Indoor Map Service






IN DOOR MAP SERVICE IN AIMS SAAS I SMART PICKING SYSTEM




Enter the 'Stocking &Picking' menu




Scan Staff ID and click the product list to pick up




Showing the short route and blinking label created on the map



IN DOOR MAP SERVICE IN AIMS SAAS | SMART RESTOCK SYSTEM




Enter the ‘Stocking &Picking’ menu




Scan the barcode of the product to restock



Showing the short route and blinking label created on the map



IN DOOR MAP SERVICE IN AIMS SAAS I SMART RESTOCK SYSTEM



## VI. ASSET MANAGEMENT SOLUTION





## CUSTOMER NEEDS



### AS – IS



#### SMALL, MOBILE EQUIPMENT IS DIFFICULT TO MANAGE

Essential asset management in the store, such as PDAs, trolleys, and carts, is not managed, leading to frequent loss, which increases operating costs for repurchasing missing assets



#### SPENDING TOO MUCH TIME LOOKING FOR EQUIPMENT

Loss of work concentration and efficiency due to waste of work time



#### DIFFICULTY TRACKING PRODUCT INVENTORY & POSSIBILITY OF THEFT OR LOSS

It is difficult to know the whereabouts of the missing inventory because inventory is identified by hand due diligence, and it is impossible to know when the theft or loss occurred

## CUSTOMER NEEDS

Trace helps store management systems improve efficiency through real-time, accurate tracking of assets across locations



### ALL INVISIBLE ASSETS AT A GLANCE

Assets that are not visible or lost  
With IoT Tracker, it's easy to manage



### BETTER VISIBILITY ACROSS THE STORE MANAGEMENT

Digitize the management of small and mobile assets to identify the location and number of assets and easily manage & prevent loss



### REDUCED EXPENDITURES

Reduces both capital and operating expenses by avoiding the loss of assets and no longer need to purchase additional assets


## TRACE TAG KEY FEATURE



A sticker type that can be easily attached to a specific product



High compatibility with Bluetooth technology



Automate business processes with Active Label



Excellent usability with ultra-slim, ultra-light




Overwhelming battery life with proprietary technology



Securing visibility with location & temperature tracking data

SOLUM TRACE TAG



STICKER TAG	
Life Expectancy	Max 3.5 years (scan per 10min) Max 1.5 years (scan per 60sec)
<ul style="list-style-type: none"><li>Lifespan can change due to sensing cycle schedule</li></ul>	
Battery capacity	35mAh
Size	1.22 x 2.8 x 0.03 inch (ultra thin)
Sensing area	Temperature, Battery level
Certifications	KC / FCC / CE
Sensor range	Indoor 25m / Outdoor 100m
Environmental Operating Conditions	Operates from 14 to 158 °F

SLIM TAG	
Life Expectancy	Max 7 years (scan per 10min) Max 3.5 years (scan per 60sec)
<ul style="list-style-type: none"><li>Lifespan can change due to sensing cycle schedule</li></ul>	
Battery capacity	80mAh (CR-2016)
Size	1.12 x 1.96 x 0.09 inch
Sensing area	Temperature, Battery level
Certifications	KC / FCC / CE
Sensor range	Indoor 25m / Outdoor 100m
Environmental Operating Conditions	Operates from 14 to 122 °F

COIN TAG	
Life Expectancy	Max 10 years (scan per 60sec) Max 6.5 years (scan per 30sec)
<ul style="list-style-type: none"><li>Lifespan can change due to sensing cycle schedule</li></ul>	
Battery capacity	235mAh (CR-2032)
Size	Ø27, 0.27 inch
Sensing area	Temperature, Battery level
Certifications	KC / FCC / CE
Sensor range	Indoor 25m / Outdoor 100m
Environmental Operating Conditions	Operates from 14 to 122 °F



## BRIDGE & GATEWAY



---

### VERY SIMPLE AND QUICK INSTALLATION

Plug-type bridges are all you need to plug in. Installing this bridge couldn't be easier  
There is no need to install complex infrastructure, no remodeling work, there is no burden of discontinuing patient care. It's that simple

Alternatively, if a compatible Wi-Fi AP is installed, it can be used without additional infrastructure

---

### BRIDGE

- Easy to install with a small and slim USB type
  - Advantageous in power supply as it can be combined with a wall charger
  - Server communication with simple settings
- 

### GATEWAY

- Can be used by connecting to an existing Wi-Fi AP
-

ASSET TRACKING SOLUTION (1/3)

Dashboard

Assets

Locations

Users

Devices

Configurations

Setting

Logout

Q Search Product, Supplier, Order

Assets by status

Total Assets

100ea

100ea

100ea

Active Assets

100%

100/100

100%

Missing

0%

0/100

0%

Low Battery

2%

2/100

2%

by Category

See all

Category Name	Active Assets	Missing Assets
PDA	30	0
Shopping Cart	40	0
Others	30	0

by Location - Zone

See all

Floor	Zone	Missing Assets
1	North East	20
1	North West	30
1	South East	0

Event Feed

See all

Asset Name	updated at	Type
PDA 001	14th Feb 23 11:33	Signal Last
PDA 002	14th Feb 23 11:33	Low Batteries
PDA 003	14th Feb 23 11:33	Low Temperature



ASSET TRACKING SOLUTION (3/3)

Home

Shopping Cart

Map

Assets

Reports

Settings

Logout

Q Search Product, Supplier, Order

Assets > Map view

+

-

Print

The map shows a retail store layout with various departments and aisle numbers. Departments include Lumber & Building Materials, Plumbing & Fashion Bath, Lighting & Electrical, Bathroom Displays, Kitchen Design Center, Millworks, Pro Services, Outside Garden, and Green House. A red circle with an exclamation mark is located at the bottom right of the map area.

Find PDA

asset number:  
**L2022ST124A**

asset owner: Steve Jun  
last connected gateway: API3  
last connected time: 14:49 14-Feb 23

asset number:  
**L2022ST124A**

asset owner: Steve Jun  
last connected gateway: API3  
last connected time: 14:49 14-Feb 23

asset number:  
**L2022ST124A**


asset owner: Steve Jun  
last connected gateway: API3  
last connected time: 14:49 14-Feb 23

© 2023 SOLUM PROPRIETARY AND CONFIDENTIAL

SOLUM  
Solution provider.



## SOLUTION STRUCTURE



## ASSET TRACKING (1/2)




## ASSET TRACKING (2/2)





## VII. SOLUM ROADMAP





		Hardware						Solution
SORT		23 Q1	23 Q2	23 Q3	23 Q4	24 Q1	24 Q2	24 Q3
Product Line-up	Multi Color			NEWTON S Slim bezel for 4-color 1.6" ~ 12.2"				
			NEWTON 5 Colors (B/W/R/Y/Orange) 1.6", 2.4", 3", 4.4", 8.2"					
			NEWTON 7 Colors (B/W/R/Y/O/G/Blue) starting with 6", 7.3"					
	Special Line-up	NEWTON X for fashion						
		NEWTON Dual Screen BWRY 8.2", BWR 11.6"						
			NEWTON Core BWR budget line-up 1.6"~12.2"					
				NEWTON Core BWRY budget line-up 1.6"~12.2"				
				Powered-Rail				
				One AP ESL BT 5.4 Standard				
Smart Shopping Experience		Pick-by-Light / Put-by-Light real-time LED blinking						
		NEWTON Play Button pop-up interaction with video						
		Product Finding with NEWTON touch						
Camera Solution		NEWTON Eye 5M Pixel						
		Geolocation with ID pattern (LBS)						
		Auto-assign with ID pattern						
		Advanced Store Services misplace, low/out-of-stock. mart KPI management / image deep learning						



**SOLUM**

MEET OUR NEW EXPERIENCE